








ENDURA® STYLE
SOLAR WALL SENSOR
DOUBLE CIRCLE



	EAN	W	lm	K	IP	°C	V _{DC} max.	
ENDURA STYLE SOL WALL2CIRCLE6WST	4099854455384	6	400	3000	44	-20...+40	3,2	12500
ENDURA STYLE SOL WALL2CIRCLE6WBK	4099854455506	6	400	3000	44	-20...+40	3,2	12500


ENDURA® STYLE SOLAR WALL SENSOR DOUBLE CIRCLE



ENDURA® STYLE SOLAR WALL SENSOR DOUBLE CIRCLE




5 Mode 1




1. Press for 3s

2. Press for 1s




6 Mode 2



300lm 15s → 75lm




Mode 3



400lm 15s → OFF




7




LUX
0-50 lux ON

LUX
50-100 lux OFF

8 Charging





In shade will not charge fully



min. 8h
(sunshine > 30000 lux)

9





Points de collecte sur www.quefairedemesdechets.fr



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

© LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom

G11219129
11.02.2025