










PANEL COMPACT 600/625 DALI




PANEL COMPACT 600/625 DALI 2CCT






	EAN	l x w x h [mm]	W	EM W* (230V DC)	VAC/DC	Hz	lm	lm/W	EM lm* (230V DC)
PL COMP 600 V 33W 830 DALI	4099854017803	595x595x32	33	5	220-240 V	0/50/60	3630	110	400
PL COMP 600 V 33W 840 DALI	4099854017926	595x595x32	33	5	220-240 V	0/50/60	3630	110	400
PL COMP 600 V 33W 865 DALI	4099854017025	595x595x32	33	5	220-240 V	0/50/60	3630	110	400
PL COMP 600 V 33W 830 U19 DALI	4099854017100	595x595x32	33	5	220-240 V	0/50/60	3630	110	400
PL COMP 600 V 33W 840 U19 DALI	4099854017261	595x595x32	33	5	220-240 V	0/50/60	3630	110	400
PL COMP 600 V 33W 865 U19 DALI	4099854017322	595x595x32	33	5	220-240 V	0/50/60	3630	110	400
PL COMP 600 V 35W 940 U19 DALI	4099854017384	595x595x32	35	5.5	220-240 V	0/50/60	3640	104	450
PL COMP 625 V 33W 840 DALI	4099854017421	620x620x32	33	5	220-240 V	0/50/60	3630	110	400
PL COMP 625 V 33W 840 U19 DALI	4099854017483	620x620x32	33	5	220-240 V	0/50/60	3630	110	400
PL COMP 600 V 35W 830 840 U19 DALI	4099854206603	595x595x32	35	5	220-240 V	0/50/60	3850	110	400
PL COMP 625 V 35W 830 840 U19 DALI	4099854206689	620x620x32	35	5	220-240 V	0/50/60	3850	110	400

	EAN	K	IP	IK	∇	R _a	∫ (°C)	PF	⚖
PL COMP 600 V 33W 830 DALI	4099854017803	3000	40/20	02	120°	> 80	-10...+45	> 0.9	1.5 kg
PL COMP 600 V 33W 840 DALI	4099854017926	4000	40/20	02	120°	> 80	-10...+45	> 0.9	1.5 kg
PL COMP 600 V 33W 865 DALI	4099854017025	6500	40/20	02	120°	> 80	-10...+45	> 0.9	1.5 kg
PL COMP 600 V 33W 830 U19 DALI	4099854017100	3000	40/20	02	90°	> 80	-10...+45	> 0.9	1.8 kg
PL COMP 600 V 33W 840 U19 DALI	4099854017261	4000	40/20	02	90°	> 80	-10...+45	> 0.9	1.8 kg
PL COMP 600 V 33W 865 U19 DALI	4099854017322	6500	40/20	02	90°	> 80	-10...+45	> 0.9	1.8 kg
PL COMP 600 V 35W 940 U19 DALI	4099854017384	4000	40/20	02	90°	> 90	-10...+45	> 0.9	1.8 kg
PL COMP 625 V 33W 840 DALI	4099854017421	4000	40/20	02	120°	> 80	-10...+45	> 0.9	1.6 kg
PL COMP 625 V 33W 840 U19 DALI	4099854017483	4000	40/20	02	90°	> 80	-10...+45	> 0.9	1.8 kg
PL COMP 600 V 35W 830 840 U19 DALI	4099854206603	3000/4000	40/20	02	90°	> 80	-10...+50	> 0.9	1.6 kg
PL COMP 625 V 35W 830 840 U19 DALI	4099854206689	3000/4000	40/20	02	90°	> 80	-10...+50	> 0.9	1.8 kg








SUSPENSION KIT
EAN 4058075402928




RECESSED
MOUNT CLIPS VALUE
EAN 4058075409859




PL 600 SURFACE MOUNT KIT H75
EAN 4058075472914 (white)
EAN 4058075834330 (black)

PL 625 SURFACE MOUNT KIT H75
EAN 4058075402938 (white)
EAN 4058075834354 (black)




PL 600 SURFACE MOUNT KIT H70 VAL
EAN 4058075402843

PL 625 SURFACE MOUNT KIT H70 VAL
EAN 4058075402867




PL 600 RECESSED MOUNT FRAME
EAN 4058075402881

PL 625 RECESSED MOUNT FRAME
EAN 4058075402904





EAN 4099854455933



PANEL COMP 600/625	
EM W*	EM lm*
3	300

[illegible]

CONNECTOR BOX
5POLE L/N/PE/D+/D- 4X
EAN 4058075473034



	DALI	C10A 	B16A 	C16A 	I_{OUT} [mA]	DALI DIM
PL COMP 600/625 V 33W U19/ DALI	Ledvance DR DALI-P-44/220-240/1050 / Tridonic LCA 45W 500-1400mA one4all SC PRE	n= 52	n= 83	n= 83	700	
PL COMP 600 V 35W 940 U19 DALI		n= 50	n= 80	n= 80	750	
PL COMP 600/625 V 35W 830 840 U19 DALI (2CCT)		n= 52	n= 83	n= 83	700	

