












PANEL ECO 600

LEDVANCE





	EAN	Ø x h [mm]	W	V _{AC}	Hz	lm	lm/W	K
PL ECO 600 E 36W 830	4099854187230	595x595x32	36	220-240	50/60	3600	100	3000
PL ECO 600 E 36W 840	4099854187254	595x595x32	36	220-240	50/60	3600	100	4000
PL ECO 600 E 36W 865	4099854187278	595x595x32	36	220-240	50/60	3600	100	6500
PL ECO 600 E 36W 830 U19	4099854187292	595x595x32	36	220-240	50/60	3600	100	3000
PL ECO 600 E 36W 840 U19	4099854187315	595x595x32	36	220-240	50/60	3600	100	4000
PL ECO 600 E 36W 865 U19	4099854187339	595x595x32	36	220-240	50/60	3600	100	6500

	EAN	IP	IK		R _a	🌡️ (°C)	PF	
PL ECO 600 E 36W 830	4099854187230	40/20	02	120	>80	0° .. +40°	>0.9	1.51kg
PL ECO 600 E 36W 840	4099854187254	40/20	02	120	>80	0° .. +40°	>0.9	1.51kg
PL ECO 600 E 36W 865	4099854187278	40/20	02	120	>80	0° .. +40°	>0.9	1.51kg
PL ECO 600 E 36W 830 U19	4099854187292	40/20	02	90	>80	0° .. +40°	>0.9	1.59kg
PL ECO 600 E 36W 840 U19	4099854187315	40/20	02	90	>80	0° .. +40°	>0.9	1.59kg
PL ECO 600 E 36W 865 U19	4099854187339	40/20	02	90	>80	0° .. +40°	>0.9	1.59kg









SUSPENSION KIT
EAN 4058075402928




RECESSED
MOUNT CLIPS VALUE
EAN 4058075409859




PL 600 SURFACE MOUNT KIT H75
EAN 4058075472914





PL 600 SURFACE MOUNT KIT H70 VAL
EAN 4058075402843





PL 600 RECESSED MOUNT FRAME
EAN 4058075402881



	B16A 	C10A 	C16A 
PL ECO 600 E 36W	n = 12	n = 13	n = 21

Model		
	Uout	Iout
PL ECO 600 E 36W PL ECO 600 E 36W U19	42V	740mA



LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com
© LEDVANCE Ltd, Sterling House, 810
Mandarin Court, Warrington, Cheshire,
WA1 1GG, United Kingdom

C10449057
G11259073
29.10.25